

Addition and Subtraction Whole-Number Computation Intervention Tracker

Student Name:

Intervention Guide			
	Description	Examples and Notes	<input checked="" type="checkbox"/>
A	Addition within 10	4 + 5 7 + 3 (sum of ten) 3 + 0 (include zero)	
B	Subtraction within 10	5 – 1 10 – 2 (minuend is 10) 4 – 0 (include zero)	
C	Addition within 20	9 + 8 12 + 3 (include one-digit and two-digit numbers) 11 + 9 (sum of 20)	
D	Subtraction within 20	19 – 3 18 – 2 (include one-digit and two-digit numbers) 20 – 11 (minuend is 20)	
E	Addition within 100, no regrouping	26 + 33 42 + 5 (include one-digit and two-digit numbers) 47 + 11 (include teen numbers) 50 + 32 (include multiples of ten)	
F	Subtraction within 100, no regrouping	99 – 25 73 – 2 (include one-digit and two-digit numbers) 58 – 17 (include teen numbers) 47 – 20 (include subtrahends that are multiples of ten)	
G	Addition within 100, regrouping only in the ones place	32 + 49 5 + 67 (include one-digit and two-digit numbers) 12 + 72 (include teen numbers) 43 + 17 (sums that are multiples of ten; e.g., 60)	
H	Subtraction within 100, regrouping only in the ones place	98 – 39 52 – 3 (include one-digit and two-digit numbers) 87 – 19 (include teen numbers) 60 – 25 (include minuends that are multiples of ten)	
I	Addition within 1,000, no regrouping	456 + 2, 125 + 32, 302 + 143 (include one-digit, two-digit, and three-digit numbers) 450 + 17 (include teen numbers and numbers that include zero)	
J	Subtraction within 1,000, no regrouping	899 – 4, 327 – 25, 148 – 123 (include one-digit, two-digit, and three-digit numbers) 526 – 12 (include teen numbers) 780 – 120 (include zeros) 564 – 530 (differences with fewer digits than the minuend; e.g., 34 vs. 564)	

