Addition and Subtraction Whole-Number Computation Intervention Tracker

Student Name:

	Intervention Guide			
	Description	Examples and Notes	$\mathbf{\nabla}$	
A	Addition within 10	4 + 5 7 + 3 (sum of ten) 3 + 0 (include zero)		
B	Subtraction within 10	5 – 1 10 – 2 (subtrahend is 10) 4 – 0 (include zero)		
С	Addition within 20	9 + 8 12 + 3 (include one-digit and two-digit numbers) 11 + 9 (sum of 20)		
D	Subtraction within 20	19 – 3 18 – 2 (include one-digit and two-digit numbers) 20 – 11 (subtrahend is 20)		
E	Addition within 100, no regrouping	26 + 33 42 + 5 (include one-digit and two-digit numbers) 47 + 11 (include teen numbers) 50 + 32 (include multiples of ten)		
F	Subtraction within 100, no regrouping	99 – 25 73 – 2 (include one-digit and two-digit numbers) 58 – 17 (include teen numbers) 47 – 20 (include minuends that are multiples of ten)		
G	Addition within 100, regrouping only in the ones place	32 + 49 5 + 67 (include one-digit and two-digit numbers) 12 + 72 (include teen numbers) 43 + 17 (sums that are multiples of ten; e.g., 60)		
H	Subtraction within 100, regrouping only in the ones place	98 – 39 52 – 3 (include one-digit and two-digit numbers) 87 – 19 (include teen numbers) 60 – 25 (include subtrahends that are multiples of ten)		
I	Addition within 1,000, no regrouping	456 + 2, 125 + 32, 302 + 143 (include one-digit, two-digit, and three- digit numbers) 450 + 17 (include teen numbers and numbers that include zero)		
J	Subtraction within 1,000, no regrouping	 899 – 4, 327 – 25, 148 – 123 (include one-digit, two-digit, and three-digit numbers) 526 – 12 (include teen numbers) 780 – 120 (include zeros) 564 – 530 (differences with fewer digits than the subtrahend; e.g., 34 vs. 564) 		



Κ	Addition within 1,000,	452 + 9, 712 + 29, 445 + 118 (include one-digit, two-digit, and	
	regrouping only in the	three-digit numbers)	
	ones place	704 + 17 (include teen numbers and numbers that include zero)	
		328 + 122 (sums that are multiples of ten; e.g., 450)	
L	Subtraction within 1,000,	543 – 5, 892 – 48, 671 – 125 (include one-digit, two-digit, and	
	regrouping only in the	three-digit numbers)	
	ones place	591 — 17 (include teen numbers)	
		532 – 209 (include zeros)	
		862 - 823 (differences with fewer digits than the subtrahend;	
		e.g., 39 vs. 862)	
Μ	Addition within 1,000,	199 + 9, 245 + 67, 378 + 356 (include one-digit, two-digit, and	
	regrouping in the ones	three-digit numbers)	
	place and the tens place		
Ν	Subtraction within 1,000,	213 – 8, 622 – 59, 453 – 264 (include one-digit, two-digit, and	
	regrouping in the ones	three-digit numbers)	
	place and the tens place	810 - 11 (include teen numbers and numbers that include zero)	
		655 – 577 (differences with fewer digits than the subtrahend;	
		e.g., 78 vs. 655)	
0	Subtracting across zeros	700 – 5, 800 – 42, 400 – 145 (include one-digit, two-digit, and	
		three-digit numbers)	
		500 – 19 (include teen numbers)	
		900 – 260 (include minuends with zeros)	
		400 - 316 (differences with fewer digits than the subtrahend;	
		e.g., 84 vs. 400)	
Ρ	Sum of 1,000	992 + 8, 956 + 44, 672 + 328 (include one-digit, two-digit, and	
		three-digit numbers)	
		501 + 499 (include zeros)	
Q	Spiral review		

Date	Minutes	Focus	Notes
E.g., 10-12-23	E.g., 20 min	E.g., <i>I</i>	E.g., First day including three-digit numbers. Needs place value review.



Date	Minutes	Focus	Notes



Date	Minutes	Focus	Notes

